



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway

Suite 130, Sunrise, FL 33323

Tel: 954-302-3187, 315-4781

Fax: 954-838-7746

E-mail: ibicorp@intech-ie.com

Tax Certificate No. 16-8012998465-1

Quote #

IBI-2024-0078

Date:

Aug 21th, 2024

Customer ID

Alimentos KIRI**Bill To:****ALIMENTOS KIRI, C.A.****RIF: J- 41060566-9**Dirección: Carretera Nacional Vía a Perijá , Estado
Zulia 4004, Venezuela

Telf: 0414-6370706

Attn: Yexibel Mavares

Correo: yexibel.mavares@alimentoskiri.com

Ship To:El material se enviará al almacén/broker del
cliente en Venezuela.

Your #	Our #	Sales Rep	Incoterms – DDP	SHIP VIA	Terms	Validity
Budgetary	IBI-2024-0078/PL	N. Carricatti	ZUL	Pick up	Ver abajo	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
			UNIDAD EXTRACTOR GRASAS		
1	1	Pc	FatExtractor E-500, GLASS ASSEMBLY SOXHLET (SOX), ANALITE PROTECTOR (AP), INTERFACE PRO, CHILLER MODEL F-308, PTFE SEALS RESISTENT TO SOLVENTS (ER), VOLTAGE 220-240V, BUCHI PN 11SE500S1P30101 FatExtractor E-500 System SOX, AP, PRO, F-308, ER, 230V The FatExtractor E-500 is designed for quick and compliant fat extraction. It can be bundled with the HydrolEx H-506 for total fat determination and a Recirculating Chiller F-305/F-308. Features are: Glass Assembly: Soxhlet for compliant extraction Analyte Protection: With Analyte Protection to avoid burned extract Interface: I-300 Pro Cooling: Chiller F-308 HydrolEx: Without HydrolEx H-506 Solvents: Petroleum ether, Hexane, Chloroform, Diethyl ether, Acetone, MTBE, Dichloromethane, Pentane Voltage: 220-240 V	67,732.00	67,732.00
2	6	--	SET OF BEAKERS (2 UNITS), BUCHI PN 11067474 <u>Nota: GRATIS solamente valido por 2024</u>	381.00 0.00	2,286.00 0.00
3	10	Pc	DEDALES DE EXTRACCION (THIMBLES) 25 X 100 mm, SET DE 25 PIEZAS, BUCHI PN 018105	292.00	2,920.00
			UNIDAD ANALIZADOR ESPECTROSCOPIO NIR		

4	1	Pc	NIR ANALYZER ProxiMate VIS & NIR - UV IPA SW LSC, BUCHI PN 11PM212110000 ProxiMate VIS&NIR, Up-view Adv. IP, Std. SW, Large carrier An at-line NIR spectrometer designed specifically for the needs of the food and feed industry, featuring an industrial design with IP69, a built-in touchscreen for easy operation, AutoCal for automated calibration development, and a Vis detector for colour measurement. Spectrometer Type: VIS & NIR Sample Presentation: Up-view IP module type: Advanced SW Licences: NIRWise Sample carrier: Large Voltage: 100 - 240 V 50/60 Hz	83,292.00	83,292.00
5	1	Pc	HIGH PERFORMANCE SAMPLE CUP (2 UNITS) & REFLECTOR 0.3 mm, BUCHI PN 11067399-041636 Transflectance Cover. Easy to use tool for the measurement of liquid products using a solid measurement cell. <u>Only necessary if measuring liquids.</u>	3,827.00	3,827.00
6	1	Pc	PETRI DISH 100X20, 10 PCS., BUCHI PN 11072073 Optical Quality (NIR) Petri dishes, 10 pcs. <u>Nota: GRATIS si se adquiere en 2024 y tambien GRATIS 2 curvas de calibración valoradas en mas de 5,000 US\$.</u>	218.00 0.00	218.00 0.00
			UNIDAD DESTILADORA/DIGESTORA		
7	1	Set	SISTEMA DESTILADOR DIST LINE MODELO MULTI DIST, BUCHI PN 11K36532210 MultiDist with glass splash protector, titration setup, external titrator, 220-240V ± 10%, 50/60 Hz. The distillation unit MultiDist allows an automatic and quantitative steam distillation of steam volatile analytes including nitrogen. It is equipped with the AutoDist mode, an acid resistant, NaOH-resistant, H2O and boric acid dosing pumps and a 7.0" color touch display with a control wheel. Complete and ready to use, supplied with Peristaltic pump for sample aspiration : Yes Interface : I-300 Pro Splash protector : Glass Titration setup & peristaltic pump for receiving vessel in order to connect a titrator : Yes External titrator Metrohm Eco Titrator : Yes Cooling water supply: none Includes: SENSOR DE DETECCIÓN DE REACCION, BUCHI PN 11072666	47,982.00	47,982.00

			3 x JUEGO DE SENSOR DE NIVEL DE TANQUE, BUCHI PN 11072294 SENSOR DE NIVEL. BUCHI PN 11070270 LUZ DE ESTADO, BUCHI PN 11068959 JUEGO DE TUBOS DE MUESTRA DE 300 ML. BUCHI PN 11059690		
8	1	Pc	SPEEDDIGESTER K-439, BUCHI PN 1154392200 Büchi SpeedDigester K-439 with condensate trap 220-240V +/-10%, 50/60 Hz Programmable IR-digestion system for twelve 300ml sample tubes with two tight suction modules with condensate trap and adjustable heating level from 70°C to 580°C. The software allows to enter exact temperature values and digestion time, Visualization of digestion process through graphical display, Storage of 50 digestion methods, including 20 Büchi standard methods, Robust design with metal components made from acid-resistant stainless steel. Complete and ready to use, supplied with 2 suction modules with condensate trap 12 sample tubes (300ml), 2 racks for 6 sample tubes. For exhaust and neutralization of the acid fumes generated during digestion the use of a Scrubber K-415 is recommended.	19,102.00	19,102.00
9	1	Pc	RECIRCULATION CHILLER F-314, BUCHI PN 11F31401K Recirculation chiller F-314 1400 W at 15°C, Display, 230 V Cooling capacity 1400 W at 15 °C for temperatures from -10 to 25 °C Incl. chiller connection kit, order code 11056900 for retrofitting of the F-314	14,872.00	14,872.00
10	1	Pc	SCRUBBER K-415 TRIPLESCRUB, BUCHI PN 114152330 Scrubber K-415 TripleScrub 230V +/-10%, 50/60Hz The K-415 TripleScrub is a three-step gas scrubbing instrument with a powerful pump and condensation, neutralization and adsorption steps. Aggressive acid or alkali fumes are sucked off by means of the integrated pump into the first stage (condenser) for precondensation to avoid dilution of the second stage (neutralization). The output from the condensation stage is neutralized in the neutralization vessel. A third stage (adsorption) then collects particles from organic or inorganic substances. To allow the user greater flexibility, the suction power of the Scrubber can be adjusted anytime. The K-415 can be controlled via a digester.	13,106.00	13,106.00



11	1	--	DESCUENTO ESPECIAL GRATIS ITEM 10 POR COMPRA DE ITEM 7, 8 y 9. PN PROM1SET8 <i>Nota: solamente valido por 2024</i>	-13,106.00	-13,106.00
			Delivery Time Luego de recibir orden de compra y pago, Items: 8-12 semanas aprox. El tiempo de entrega de los elementos ofertados queda sujeto a cambios generados por eventos fuera de manejo de la compañía como: 1. Fenómenos climáticos que no permitan el transporte de materia prima a la fábrica, transporte local en el extranjero del material manufacturado y/o transporte internacional del producto. 2. Normal funcionamiento de aduana Venezolana y/o extranjeras. 3. Alteración del orden público en el país de origen, país en tránsito y/o país final. 4. Actos delictivos y/o terroristas. 5. Cualquier otro evento considerado de fuerza mayor. Payment terms 100 % con orden de compra Volume & Weight Peso item 1-3 – 95 kg + aprox. Peso item 4-6 – 25 kg + aprox. Peso item 7-11 – 130 kg + aprox.		

PLEASE TRANSFER TO OUR ACCOUNT AT:

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

Subtotal	US \$	239,727.00
Freight	US \$	Included
Docs.	US \$	Included
TOTAL	US \$	239,727.00