



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway

Suite 130, Sunrise, FL 33323

Tel: 954-302-3187, 315-4781

Fax: 954-838-7746

E-mail: ibicorp@intech-ie.com

Tax Certificate No. 16-8012998465-1

Quote #

IBI-2024-0083Rev1

Date:

Sept 03th, 2024

Customer ID

ENVIROTEC**Bill To:****LABORATORIOS ENVIROTEC C.A.****RIF: J-30437581-6**Calle 11-1 Edif Ind. Imi Piso 2 Of P-2 Urb La Urbina
Caracas (Petare) Miranda Zona Postal 1070

Telf: 0414-4171580

Attn: Rogelio Martinez

Correo: rogelio1958@gmail.com

Ship To:Material will be sent to customer's
broker/warehouse at CCS, Venezuela

Your #	Our #	Sales Rep	Incoterms – DDP	SHIP VIA	Terms	Validity
Budgetary	IBI-2024- 0083/PL&IBI-2024- 0046Rev1	N. Carricatti	CCS, VEN	Pick up	See below	30 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
1	1	Pc	ANALIZADOR DE AZUFRE MULTIELEMENTO MODELO EDX1000 EDXRF, 100/240 V, KOEHLER PN K47900 Incluye: - Tubo de Rayos X 50 kV 4 W - Rueda de filtro de rayos X - Detector de diodo PIN Si - Procesador de señal digital - Computadora integrada con puertos USB y Ethernet - Impresora térmica integrada - Anillo de copa de muestra de 32 mm y anillo de muestra plano de 27 mm Cumple con las especificaciones de: ASTM D4294, D5059, D6481, ISO 20847, ISO 8754, IP 496, IP 336, JIS K 2541-1 Excitación: Tubo de rayos X de 50 kV Potencia máxima de 4W 6 posiciones de filtro de tubo con óptica Protección contra derrames/contaminación Detección: Detector de diodo PIN Si de alto rendimiento Refrigeración termoeléctrica Peltier Equilibrio óptimo de resolución espectral y tasa de conteo máxima Límites de detección (LLD): Azufre: 5 ppm en Aire (3 ppm en He) Níquel: 1,6 ppm Vanadio: 3,6 ppm Hierro: 2,7 ppm Plomo: 0,0004 g/L	\$63.166,00	\$63.166,00

			Cámara de muestra: Cámara de muestra grande de 190 x 165 x 60 mm Apertura de muestra de posición única de 32 mm Apertura de muestra de posición única de 40 mm Apertura de muestra masiva Interfaz de usuario: Interfaz de pantalla táctil WVGA de 8" Computadora integrada Impresora térmica interna Conexiones USB y Ethernet Condiciones ambientales: Temperatura ambiente 10 - 35°C (50 - 95°F) Humedad relativa < 85% sin condensación Vibración indetectable por el ser humano. Libre de gases, polvo y partículas corrosivos		
2	1	Pc	PAPEL FILM DE POLIPROPILENO DE 4 -m, ROLLO 3"X 300', KOEHLER PN K47900-6	\$333,00	\$333,00
3	1	Pc	CONJUNTO DE PORTAMUESTRA 32 mm, 100 POR CAJA DE COPA CORTA DE 2 PIEZAS (DOUBLE OPEN ENDED) CON TAPA, KOEHLER PN K47900-10	\$261,00	\$261,00
4	1	Pc	PATRONES DE REFERENCIA ACEITE MINERAL, RANGO 0.1 A 5.0 % p-AZUFRE, 10 BOTELLAS 100 mL C/U, KOEHLER PN K47906-3	\$2.610,00	\$2.610,00
5	1	Pc	FTIR SPECTROPHOTOMETER LYZA 7000 INCL. CELL MODULE MULTIPURPOSE, ANTON PAAR PN 253253 Lyza 7000 modular FTIR spectrometer for quick molecular analysis and high measurement cell versatility. Compact system with touchscreen interface and embedded software containing guided workflows, constant self-monitoring of instrument and energy-saving options. Fourier transform infrared spectrometer Preinstalled software for spectra acquisition and analysis included DLATGS detector KBr windows and beam splitter Signal-to-noise ratio: 55.000:1 (1 min, 8 cm-1, 1900 to 2250 cm-1) Spectral range: 350 to 7500 cm-1 Resolution: up to 1,4 cm-1 Dimensions: 365 x 315 x 382 mm (D x W x H) includes: multipurpose cell module transmission cell holder more than 3 Anton Paar spectral libraries	\$30.689,00	\$30.689,00
6	1	Pc	PIKE SMARTSEAL LIQUID CELL 0.025MM, CAF2, ANTON PAAR PN 262507	\$1.496,00	\$1.496,00

			Pike SmartSeal Liquid Transmission Cell 0.025 mm, calcium fluoride window, fits transmission cell holder		
7	1	Pc	PIKE SMARTSEAL LIQUID CELL 0.1MM, KBR, ANTON PAAR PN 262509 Pike SmartSeal Liquid Transmission Cell 0.1 mm, potassium bromide windows, fits transmission cell holder	\$1.256,00	\$1.256,00
8	1	Pc	PIKE SMARTSEAL LIQUID CELL 0.1MM, ZNSE, ANTON PAAR PN 262510 Pike SmartSeal Liquid Transmission Cell 0.1 mm, zinc selenide windows, fits transmission cell holder	\$2.316,00	\$2.316,00
9	1	Pc	PIKE IR NIST STANDARD (PS) PN 262505 Pike IR NIST Standard (Polystyrene) for transmission cell holder incl. certificate	\$677,00	\$677,00
10	1	Pc	USED OIL ANALYSIS UPGRADE LYZA 7000, ANTON PAAR PN 286498 Software upgrade for Lyza 7000: Application Presets for standard compliant FTIR-analysis according to ASTM D7214, D7412, D7414, D7415, D7418, D7624, D7844, E2412.	\$2.451,00	\$2.451,00
			Delivery Time After receipt of order and payment (subject to changes) Item 1-4: 12-16 weeks Item 5-10: 4-6 weeks The delivery time of the items offered is subject to changes generated by events outside the company's control, such as: 1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. 2. Normal functioning of Venezuelan and/or foreign customs. 3. Disruption of public order in the country of origin, country of transit and/or final country. 4. Criminal and/or terrorist acts. 5. Any other event considered major force. Payment terms Prepayment with PO Volume & Weight Weight / Volume to be advised		

**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

**PLEASE TRANSFER TO OUR
ACCOUNT AT:**

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

Subtotal	US \$	105,255.00
Freight	US \$	Included
Insurance	US \$	Included
Docs.	US \$	Included
TOTAL	US \$	105,255.00