



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com
Tax Certificate No. **16-8012998465-1**

Quote #**IBI-2024-0106Rev1****Date:**Nov 13th, 2024**Customer ID****GENICA****Bill To:**

GENICA - General de Alimentos NISA C.A.
RIF: J-30071709-7

Av. 5 de Julio, esquina con calle 3D. Maracaibo,
Estado Zulia. Venezuela.
Telf: 0414-6592617
Attn: Ing. Yeslinda Romero
Correo: yeslinda.romero@genica.com.ve

Ship To:

Material will be sent to customer's warehouse in
Maracaibo, Edo. Zulia.

Your #	Our #	Sales Rep	Incoterms - DDP	SHIP VIA	Terms	Validity
Budgetary	IBI-2024-0106/PL	N. Carricatti	ZUL	Pick up	See below	30 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
			PRESSURE GAUGE CALIBRATION SYSTEM		
1	1	Pc	PRECISION DIGITAL PRESSURE GAUGE MODEL CPG1500, WIKA PN 80068882 Specifications according to data sheet: CT 10.51 explosion protection: without Pressure range: 0...5000 psig Process Connection: 1/4 NPT wetted parts: stainless steel, Elgiloy Sensor Accuracy: 0.05 % FS Type of certificate: DAKS-Calibration certificate (traceable and accredited according to ISO17025) incl. evaluation, diagram and determination of accuracy Communication: Bluetooth® with Bluetooth®-USB-Stick Info Bluetooth®: Please bear in mind the relevant radio approvals in your country. integrated data logger incl. protective housing cap Carrying/storing case for 1x CPG1500 + CPP700-H/CPP1000-H (plastic) Calibration of pressure measuring instruments Type of certificate: DAKS-Calibration certificate (traceable and accredited according to ISO 17025) Type of device under test: Electrical measuring device with display (digital pressure gauge, pressure controller, etc.) Accuracy: > 0,02 % ... < 0,1 % Calibration according to DKD-R-6-1, process A Numbers of measurement series: 4	\$2.864,00	\$2.864,00

			Number of measuring points per measurement series: 9 Pressure type - pressure: Relative pressure (over- or underpressure), Gauge or Vacuum Pressure Calibration range - pressure: > 10 mbar ... <= 400 bar Documentation: Calibration (documentation of the values) 1. Language of certificate: DE 2. Language of certificate: GB		
2	1	Pc	HAND TEST PUMP CPP700-H, OIL/WATER, INCL. MINIMESS®-HOSE AND COUPLING 1/4 BSP FEMALE, WIKA PN 66319243	\$2.437,00	\$2.437,00
3	1	Pc	ACCESSORIES FOR CPP700-H: ADAPTERS "BSP" FOR TEST ITEM CONNECTION G 1/4 MALE ON G 1/8, G 3/8 AND G1/2 FEMALE PN 57403987	\$242,00	\$242,00
4	1	Pc	ACCESSORIES FOR CPP700-H: ADAPTERS "NPT" FOR TEST ITEM CONNECTION G 1/4 MALE ON 1/8 NPT, 1/4 NPT, 3/8 NPT AND 1/2 NPT FEMALE PN 46952574	\$242,00	\$242,00
			TEMPERATURE CALIBRATION BATH		
5	1	Pc	TEMPERATURE DRY WELL CALIBRATOR MODEL CTD9100-450, WIKA PN 80053377 Temperature Dry Well Calibrator Model CTD9100-450 Operating range: 40 °C ... 450 °C Accuracy: 0.3 K ... 0.5 K Stability: +/- 0,05 K at 100 °C, +/- 0,1 K at 450 °C Unit: °C Display resolution: 0.01 °C up to 100 °C, then 0.1 °C protectiv conductor: existing in electric circuit Calibration: with DKD-Certificate incl. evaluation, diagram and determination of accuracy Test Piece Insertion Length: 150 mm Software: with Interface: RS-485 Interface converter: RS-485 to USB 2.0 Power Supply: AC 230 V, 50/60 Hz Power cord: for USA/Canada, 115 VAC Specifications according to data sheet: CT 41.48 Special features: If calibration is ordered: Done at standard points; see also www.wika.com. Others on request. Inserts for temperature dry well calibrator Application: up to 450 °C with model CTD9100-165-X, CTD9100-450 and CTM9100-150, d = 60 mm Sleeve material: aluminium Bore size(s): 2 x 3,2 mm, 2 x 4,3 mm, 3 x 6,3 mm and 2 x 8,5 mm Removal tool: is included	\$12.627,00	\$12.627,00



INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

		Delivery Time After receipt of order and payment (subject to changes) Item 1-4: 12-14 weeks Item 5: 14-16 weeks The delivery time of the items offered is subject to changes generated by events outside the company's control, such as: 1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. 2. Normal functioning of Venezuelan and/or foreign customs. 3. Disruption of public order in the country of origin, country of transit and/or final country. 4. Criminal and/or terrorist acts. 5. Any other event considered major force. Payment terms Prepayment with PO Volume & Weight Weight / Volume to be advised CCI: G. Novoa		
--	--	---	--	--

PLEASE TRANSFER TO OUR

ACCOUNT AT:

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

Subtotal	US \$	18,412.00
Freight	US \$	Included
Insurance	US \$	Included
Docs.	US \$	Included
TOTAL	US \$	18,412.00

THANK YOU FOR YOUR BUSINESS